


- Accuracy:  $\pm 0.5\%$  F.S.
- Measuring range: 20, 30, 50, 100, 150, 250, 300, 600 Adc...
- Output signal: 50 mVdc or 60 mVdc
- Standard and custom options available for OEM design




**ORDER INFORMATION**



BST - [Code 1] / [Code 2]

Code 1	Input Range	Code 2	Output
20	0~20 Adc	50	50 mVdc
30	0~30 Adc	60	60 mVdc
50	0~50 Adc		
100	0~100 Adc		
150	0~150 Adc		
250	0~250 Adc		
300	0~300 Adc		
O	Option		



**DIMENSION (mm)**





● 500A  
(50mV)0.64kg





● 600A  
(50mV)0.8kg





● 250A. 300A  
(60mV)0.33kg. 0.40kg





● 400A  
(60mV)0.52kg





● 500A  
(60mV)0.65kg





● 600A  
(60mV)0.81kg





● 700A  
(50mV)0.9kg





● 800A  
(50mV)0.99kg





● 1000A  
(50mV)1.45kg





● 1200A  
(50mV)1.8kg





● 1500A  
(50mV)2.17kg





● 800A  
(60mV)1kg





● 1000A  
(60mV)1.5kg





● 1200A  
(60mV)1.82kg





● 1500A  
(60mV)2.2kg





● 2000A  
(50mV)4.6kg





● 2500A  
(50mV)5.2kg





● 3000A  
(50mV)6.9kg





● 3500A  
(50mV)8.2kg





● 4000A  
(50mV)9.7kg





● 2000A  
(60mV)4.7kg





● 2500A  
(60mV)5.3kg



● 3000A  
(60mV)7.1kg



● 3500A  
(60mV)8.2kg



● 4000A  
(60mV)9.9kg

